

Safety Data Sheet



RU5BLACK-X - RUTHENIUM READY TO USE PLATING BATH 5G/L EXTRA-BLACK COLOR

Safety Data Sheet dated 5/23/2022 version 5

Compliant with regulation (CE) n. 1907/2006 REACH, Annex II, and subsequent amendments introduced by Commission Regulation (EU) no. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: RU5BLACK-X - RUTHENIUM READY TO USE PLATING BATH 5G/L EXTRA-BLACK COLOR

Trade code: RU5BLACK-X

Product type and use: SL

Registration Number N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: For electroplating industry

Uses advised against: N.A.

1.3. Details of the supplier of the safety data sheet

Company: LEGOR GROUP S.p.A.

Via del Lavoro, 1 36050 Bressanvido (VI) Italy Tel.: +39.0444.467911 Fax.: +39.0444. 660677

Competent person responsible for the safety data sheet: info@legor.com

1.4. Emergency telephone number

CENTRO ANTIVELENI OSPEDALE NIGUARDA CA' GRANDA P.ZZA OSPEDALE MAGGIORE, 3 MILANO Tel 02 66101029 Fax 02 64442768

AZIENDA OSPEDALIERA PAPA GIOVANNI XXIII PIAZZA OMS, 1 24127 BERGAMO Tel 800 883300

CENTRO ANTIVELENI AZIENDA OSPEDALIERA S.G.BATTISTA - MOLINETTE DI TORINO CORSO A.M. DOGLIOTTI, 14 TORINO Tel 011 6637637 Fax 011 6672149

CEN.NAZ.INFORM.TOSSIC.FOND. S.MAUGERI CLINICA DEL LAVORO E DELLA RIABILITAZIONE VIA A.FERRATA, 8 PAVIA Tel A 0382 24444 Fax 02 64442769

SERV. ANTIV. - CEN.INTERDIPARTIMENTALE DI RICERCA SULLE INTOSSICAZIONI ACUTE DIP.DI FARMAC. E.MENEGHETTI UNIVERSITÀ DEGLI STUDI DI PADOVA LARGO E.MENEGHETTI, 2 PADOVA Tel 049 8275078 Fax 049 8270593

SERVIZIO ANTIVELENI SERV.PR.SOCC., ACCETT. E OSS. ISTITUTO SCIENTIFICO G. GASLINI LARGO G. GASLINI, 5 GENOVA

Tel 010 5636245 Fax 010 3760873

CENTRO ANTIVELENI - U.O. TOSSICOLOGIA MEDICA AZIENZA OSPEDALIERA CAREGGI VIALE G.B. MORGAGNI, 65 FIRENZE Tel 055 4277238 Fax 055 4277925

CENTRO ANTIVELENI POLICLINICO A.GEMELLI - UNIVERSITA' CATTOLICA DEL SACRO CUORE LARGO F.VITO, 1 ROMA Tel 06 3054343 Fax 06 3051343

CENTRO ANTIVELENI - ISTITUTO DI ANESTESIOLOGIA E RIANIMAZIONE UNIVERSITÀ DEGLI STUDI DI ROMA LA SAPIENZA VIALE DEL POLICLINICO, 155 ROMA Tel 06 49970698 Fax 06 4461967

AZ. OSP. UNIV. FOGGIA V.LE LUIGI PINTO, 1 71122 FOGGIA Tel 0881 732326

CENTRO ANTIVELENI AZIENDA OSPEDALIERA A. CARDARELLI VIA CARDARELLI, 9 NAPOLI Tel 081 7472870 Fax 081 7472880

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Skin Corr. 1A Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Hazard pictograms and Signal Word



Hazard statements

H314Causes severe skin burns and eye damage.H318Causes serious eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P501	Dispose of contents/container to
Special Provisions	:
PACK1 Th	e packing must be featured by a safety lock for children.

PACK2 The packing must have tactive indications of danger for blind people.

Special provisions according to Annex XVII of REACH and subsequent amendments:

Date 5/23/2022 Production Name RU5BLACK-X - RUTHENIUM READY TO USE PLATING BATH 5G/L EXTRA Page n. 2 of 9

2.3. Other hazards

No PBT Ingredients are present

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: RU5BLACK-X - RUTHENIUM READY TO USE PLATING BATH 5G/L EXTRA-BLACK COLOR

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
5-10 %	Sulfamic acid		Eye Irrit. 2, H319; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	01-2119488633-28
< 5%	Ammonium Sulfamate	CAS:7773-06-0 EC:231-871-7	Acute Tox. 4, H302; Aquatic Acute 1, H400	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediatley and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and label hazardous.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s) None in particular Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

OEL Occupational Exposure Limit
Type

Ammonium Sulfamate	ACGIH	Long Term: 10 mg/m3
CAS: 7773-06-0		

Predicted No Effect Concentration (PNEC) values

Sulfamic acid CAS: 5329-14-6	Exposure Route: Fresh Water; PNEC Limit: 300 ug/l
	Exposure Route: Freshwater sediments; PNEC Limit: 0.3 mg/kg
	Exposure Route: Marine water sediments; PNEC Limit: 0.03 mg/kg
	Exposure Route: Local treatment plants; PNEC Limit: 2 mg/l
	Exposure Route: Marine water; PNEC Limit: 30 ug/l
	Exposure Route: STP; PNEC Limit: 200 mg/l
	Exposure Route: Soil; PNEC Limit: 3 mg/kg
Derived No Effect I	evel (DNEL) values
Sulfamic acid CAS: 5329-14-6	Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects Worker Professional: 10 mg/kg; Consumer: 5 mg/kg
	Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects Consumer: 1.06 mg/kg/d

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects Consumer: 1.8 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects Worker Professional: 7.5 mg/m3

8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: N.A. Thermal Hazards: N.A. Environmental exposure controls: N.A. Hygienic and Technical measures N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical State: N.A. Appearance and colour: Dark brown liquid Odour: Odourless Odour threshold: N.A. **pH:** 1.00 Melting point / freezing point: N.A. Initial boiling point and boiling range: N.A. Flash point: > 93°C Evaporation rate: N.A. Upper/lower flammability or explosive limits: N.A. Vapour density: N.A. Vapour pressure: N.A. Relative density: N.A. Solubility in water: Total Solubility in oil: N.A. Partition coefficient (n-octanol/water): N.A. Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.A. **Explosive properties:** N.A. Oxidizing properties: N.A. Solid/gas flammability: N.A. 9.2. Other information VOC N.A. Substance Groups relevant properties N.A.

Miscibility: N.A. Conductivity: N.A.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Data not available.

10.3. Possibility of hazardous reactions None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity	Not classified		
	Based on available data, the classification criteria are not met		
b) skin corrosion/irritation	The product is classified: Skin Corr. 1A(H314)		
c) serious eye damage/irritation	The product is classified: Eye Dam. 1(H318)		
d) respiratory or skin sensitisatio	n Not classified		
	Based on available data, the classification criteria are not met		
e) germ cell mutagenicity	Not classified		
	Based on available data, the classification criteria are not met		
f) carcinogenicity	Not classified		
	Based on available data, the classification criteria are not met		
g) reproductive toxicity	Not classified		
	Based on available data, the classification criteria are not met		
h) STOT-single exposure	Not classified		
	Based on available data, the classification criteria are not met		
i) STOT-repeated exposure	Not classified		
	Based on available data, the classification criteria are not met		
j) aspiration hazard	Not classified		
	Based on available data, the classification criteria are not met		
Toxicological information on main components of the mixture:			
Sulfamic acid a) acute toxicit	y LD50 Oral Rat = 1450 mg/kg		
	LD50 Skin Rat > 2000 mg/kg		

Ammonium Sulfamate	a) acute toxicity	LD50 Oral Rat 2 g/kg
	a) acate toxicity	

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data	
Sulfamic acid	CAS: 5329-14-6 - EINECS: 226- 218-8 - INDEX: 016-026-00-0	a) Aquatic acute toxicity :	EC50 Algae = 48 mg/l 72
		a) Aquatic acute toxicity :	LC50 Daphnia magna = 71.6 mg/l 24
		a) Aquatic acute toxicity :	LC50 Fish = 70.3 mg/l

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT Ingredients are present

12.6. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number N.A. 14.2. UN proper shipping name ΝΑ 14.3. Transport hazard class(es) N.A. 14.4. Packing group N.A. 14.5. Environmental hazards N.A 14.6. Special precautions for user N.A. Road and Rail (ADR-RID): N.A. Air (IATA): Sea (IMDG): N.A. 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) 2015/830 Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: 3

Restrictions related to the substances contained: 75

N.A.

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

Class 3: extremely hazardous.

SVHC Substances:

No data available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage	2.	
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H412	Harmful to aquatic life with long lasting effects.		
Code	Hazard class and hazard category	Description	
Code 3.1/4/Oral	Hazard class and hazard category Acute Tox. 4	Description Acute toxicity (oral), Category 4	
	- ,	-	
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
3.1/4/Oral 3.2/1A	Acute Tox. 4 Skin Corr. 1A	Acute toxicity (oral), Category 4 Skin corrosion, Category 1A	
3.1/4/Oral 3.2/1A 3.2/2	Acute Tox. 4 Skin Corr. 1A Skin Irrit. 2	Acute toxicity (oral), Category 4 Skin corrosion, Category 1A Skin irritation, Category 2	
3.1/4/Oral 3.2/1A 3.2/2 3.3/1	Acute Tox. 4 Skin Corr. 1A Skin Irrit. 2 Eye Dam. 1	Acute toxicity (oral), Category 4 Skin corrosion, Category 1A Skin irritation, Category 2 Serious eye damage, Category 1	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Classification according to Regulation Classification procedure

(EC) Nr. 1272/2008	
3.2/1A	On basis of test data (pH)
3.3/1	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level. DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: KAFH KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class. Paragraphs modified from the previous revision: - 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING - 2. HAZARDS IDENTIFICATION - 3. COMPOSITION/INFORMATION ON INGREDIENTS - 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 11. TOXICOLOGICAL INFORMATION